

Message

---

**From:** Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=JAMES.HANCHETT]  
**Sent:** 1/2/2013 1:01:44 PM  
**To:** 'Brooks, Nancy (POL)' [/O=COMMONWEALTH OF MASSACHUSETTS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=NANCY.WONG047]  
**Subject:** RE: Amherst FTIR

Thanks,

Jim Hanchett  
Department of State Police  
Amherst Drug Lab  
Room N251 Morrill I  
637 North Pleasant Street  
Amherst, MA 01003  
Phone 413-545-2607  
Fax 413-545-2608  
Cell [REDACTED]

The preceding email message (including any attachments) contains information that may be confidential, may be protected by the attorney-client or other applicable privileges, or may constitute non-public information. It is intended to be conveyed only to the designated recipient(s) named above. If you are not an intended recipient of this message, please notify the sender by replying to this message and then delete all copies of it from your computer system. Any use, dissemination, distribution, or reproduction of this message by unintended recipients is not authorized and may be unlawful.

---

**From:** Brooks, Nancy (POL)  
**Sent:** Wednesday, January 02, 2013 7:53 AM  
**To:** Hanchett, James (DPH)  
**Subject:** RE: Amherst FTIR

Hi -- we are working on getting permission from the IG/AG's office to pull the power supply. I will let you know when we can get in there.

Thanks.

Nancy Wong Brooks  
Forensic Chemistry Section Manager  
59 Horse Pond Road  
Sudbury, MA 01776  
508-358-3142 (phone)  
508-358-3224 (fax)

The preceding email message (including any attachments) contains information that may be confidential, may be protected by the attorney-client or other applicable privileges, or may constitute non-public information. It is intended to be conveyed only to the

designated recipient(s) named above. If you are not an intended recipient of this message, please notify the sender by replying to this message and then delete all copies of it from your computer system. Any use, dissemination, distribution, or reproduction of this message by unintended recipients is not authorized and may be unlawful.

**From:** Hanchett, James (DPH)  
**Sent:** Monday, December 31, 2012 8:01 AM  
**To:** Brooks, Nancy (POL)  
**Subject:** Amherst FTIR

Hi Nancy,

I installed Boston's Laser into our FTIR, but it still reports Laser Failed. According to manual I think I should have also replaced laser's power supply too. If any body is headed to the Jamaica Plain Lab could you have them pull the laser power supply and I will pick it up. I will send pictures and instructions if necessary.

Thank you,  
Have a Happy New Year.

Jim Hanchett  
Department of State Police  
Amherst Drug Lab  
Room N251 Morrill I  
637 North Pleasant Street  
Amherst, MA 01003  
Phone 413-545-2607  
Fax 413-545-2608  
Cell [REDACTED]

The preceding email message (including any attachments) contains information that may be confidential, may be protected by the attorney-client or other applicable privileges, or may constitute non-public information. It is intended to be conveyed only to the designated recipient(s) named above. If you are not an intended recipient of this message, please notify the sender by replying to this message and then delete all copies of it from your computer system. Any use, dissemination, distribution, or reproduction of this message by unintended recipients is not authorized and may be unlawful.